

# PRODUCTS 2022

LOBA - Your partner for surface finishing and care



# Connected Systems

Perfect results  
for your projects

## Your benefits with LOBA and WAKOL Connected Systems:

- Outstanding compatible products
- Powerful security for your installation
- No chemical reaction between surface finishing and adhesive
- Successful application guaranteed in a well proven system

We care about your success!



		WAKOL																
		1K PARQUET ADHESIVE											2K PARQUET ADHESIVE					
		D 1640	D 1690	MS 228	MS 230	MS 232	MS 260	MS 261	MS 262	MS 265	MS 290	MS 292	PU 385	PU 210	PU 215	PU 216	PU 220	PU 225
LOBA   <b>LOBADUR</b>	1K FINISH																	
	EasyFinish	✓	✓				✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
	Viva	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Life	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2K FINISH																	
	2K InvisibleProtect	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
2K Supra A.T.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2K Duo	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2K Fusion	✓	✓				✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
2K Rush	✓	✓				✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
LOBA   <b>LOBASOL</b>	OIL																	
	2K ImpactOil	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
	2K ImpactOil Color	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
	Akzent 100 Oil	✓	✓				✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
	HardwaxOil EcoPlus	✓	✓				✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
	Markant	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓
	MarkantColor	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓
MarkantNature	✓	✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	



WAKOL		
LEVELLING COMPOUND		
Z 610	Z 615	Z 625
✓	✓	✓
✓	✓	✓

<b>LOBADUR</b>	FINISH SYSTEM	FactoryBase and 2K FactoryStyle
----------------	---------------	---------------------------------

<b>LOBASOL</b>	OIL AND WAX SYSTEM	2K ImpactOil and Akzent 100 Wax
----------------	--------------------	---------------------------------




# Contents

## ABOUT LOBA

Connected Systems	2
Philosophy	4
Company	5
Legend	63

## LOBADUR®

Filler products	7-8
Primers	9-10
Suitability list primers / finishes	11
1K water-based finishes	12-13
2K water-based finishes	14-16
Additives	17-18
Special products	19-20
UV on-site water-based finishes <b>LOBACURE</b> 	21
Sealer for mineral levelling compounds	22
Outdoor	23

## LOBASOL®

Suitability list oils / waxes	25
High Solid	26-28
Hardwaxoil	29-30
Outdoor	31

## LOBACARE®

Remover/Soap	33
Maintenance cleaner	34
Wipe care	35
Care products for finished floors	36-37
Care products for oiled floors	38-39
Outdoor	40-41

## LOBAHOME

Hygiene	43
The care-line for end users	44-47

## LOBASAND

Suitability list abrasives & pads	49
Abrasives & Pads	50-53

## LOBATOOL

Suitability list rollers	55
Application devices & accessories	56-60
Miscellaneous	61-62

Visit LOBA download section:

Set-up recommendations  
Technical Information  
Application videos  
Technical tips and tricks  
→ [www.loba.de/en/downloads](http://www.loba.de/en/downloads)



# LOBA On Top!

LOBA loves beautiful floors. As a family-run business with 100 years of tradition, we provide you with modern products for the design, finishing and care of wood floor, cork, elastic and mineral surfaces. LOBA places the highest value on user-friendly, safe and sustainable products. Out of responsibility for humans and nature, we have long focused on the development of environmentally compatible solvent-free systems, which consist of up to 100 percent natural raw materials – for a feel-good living environment.



*Dear Partner,*

We are delighted, grateful and proud to celebrate our 100<sup>th</sup> anniversary this year!

**100 years of LOBA means:** 100 years of trust and loyalty, passion and friendship of our partners and customers – our big orange family. You have accompanied us through ups and downs and made our success possible. For all this we would like to thank you from the bottom of our hearts.

**100 years of LOBA also means:** 100 years of competence, commitment, and loyalty of our amazing employees. We stick together and work hard every day to provide perfect products and services to you. Hand in hand – for your success!

**100 years of LOBA – last but not least means:** Starting the new century together with you! Looking ahead. Making sustainable decisions and actively shaping our dynamic market. Having visions and not letting ourselves be sidetracked. We look forward to remaining your partner for surface finishing and care in the future. LOBA On Top!

We wish you all the best, take good care and warm greetings!

Yours,

Three handwritten signatures in black ink, written in a cursive style. From left to right, they appear to be Michael Fischer, Alfred Melka, and Mario Probst.

Michael Fischer, Alfred Melka, Mario Probst



# LOBA celebrates: 100 years of passion, competence and service

## 1922 Founding

On 13 April 1922, Wilhelm Hornung and Dr Max Fischer establish "Vereinigte Wachswarenfabriken AG Hornung und Dr Fischer" in Ditzingen, near Stuttgart. Its products include floor stains, ski wax and household candles.

## 1952 Expansion

The company expands its product range, developing and manufacturing paints and varnishes.

## 1959 Pioneering work

LOBA launches the world's first commercially available thermal insulation composite system, under the brand name Dryvit®, making a major contribution to energy saving.

## 1995 Leadership

With its two-component, water-based parquet finishing systems, LOBA sets new standards that remain unmatched to this day.

## 2007 Expansion to North America

Foundation of the subsidiary "LOBA-Wakol LLC" in Charlotte, North Carolina, USA.

## 2012 Innovation

LOBA launches LOBACURE, the latest generation of water-based finishing systems with on-site UV curing – setting new standards in floor refurbishing.

## 2015 Investment

Opening of the new logistics and training center.

## 2017 Expansion to Brasil

Foundation of the subsidiary "LOBA do Brasil" near São Paulo.

## 2020 Expansion within North America

USA continues to expand with new Headquarters in Wadesboro, North Carolina

## 2022 LOBA celebrates anniversary

100 years of LOBA: 100 years of technical excellence innovation, passion and outstanding service – in 70 countries worldwide. Produced in Germany, made for the world!

# Out of responsibility for people and the environment

LOBA aims to ensure that our customers, employees and everyone who works with and lives on floors treated with our products is absolutely safe. In addition, the environmental friendliness of our products is our top priority. These topics are close to our hearts. We act accordingly and take efficient measures. Here are some examples:

- LOBA decided many years ago to cease production of parquet finishes that contain high concentrations of solvents.
- Today, LOBA focusses on water-based, low-emission products. LOBA was among the first manufacturers to obtain DIBt approval, and EMICODE® certification.
- The emission values of LOBA products are significantly below the limit values for volatile organic compounds (VOCs\*) laid down in the European Decopaint Directive.

From the many eco-labels available today, LOBA has chosen the Ü mark of Deutsches Institut für Bautechnik (DIBt, German Institute for Civil Engineering) and the EMICODE® label awarded by the Association for the Control of Emissions in Products for Flooring Installation, Adhesives and Building Materials (GEV).

**Ü sign and EMICODE®** – two green labels that consumers can rely on. These two eco-labelling systems guarantee compliance with the most stringent environmental standards, as they are based not only on the testing of product ingredients but also take into account emissions and involve continued product tests.

\*VOC = Volatile Organic Compound





**LOBADUR** 

## Environmentally friendly water-based all-rounders.

Systematic surface protection. Professionals worldwide are convinced by LOBADUR, a perfectly coordinated system of water-based finishes, additives, primers, joint fillers and special products. Whether natural or colored wood, normal or heavily frequented floors: LOBADUR is always the right choice and provides an "invisible", matt or glossy appearance, depending on your wishes. The suitable primers are easy to apply and guarantee the highest quality and safety.



HOME



## VivaFill



H



	
	20-40
	50

Water-based binder.


- Extremely economical to use
- Odor neutral
- Rapid drying
- Easy and safe application
- Low VOC content, GISCODE W2+
- Very low emission, certified to EMICODE® EC1

Art.-no.				GISCODE
11511-000000	5 l	4	128	W2+

### For all areas of life: Viva

Standard recommendation for the finishing of heavily used wood floors.

- 7 Second coat **Viva** with LOBATool Roller Microfiber 100-120 or LOBATool Roller Deluxe 120
- 6 Intermediate sanding with LOBASAND LochPad P120 or finer
- 5 First coat **Viva** with LOBATool Roller Microfiber 100-120 or LOBATool Roller Deluxe 120
- 4 Application **VivaPrime** with LOBATool Roller Microfiber 100-120 or LOBATool Roller Universal 100
- 3 **Final sanding** - see LOBASAND, also for an additional final sanding with a multiple or single disc machine
- 2 Smooth the floor over with **VivaFill** and sanding dust of the respective wood species, fill joints
- 1 Coarse and medium sanding - see LOBASAND

 Please consider the detailed technical information, application instructions and set-up recommendations.

Discover the perfectly matched LOBADUR Viva products.  
With LOBACARE cleaning and care products the beauty of your floors will remain.








## EasyFillPro

Water-based binder.

- Easy to work with
- Closes even wider joints by one-time application
- No subsiding of the filler in the joint
- Very fast drying
- Excellent sandability; clearly visible and low adhesion on sanding paper
- Excellent color scheme for oiled and finished surfaces
- Applicable to all common European and exotic wood types
- Odor neutral



	
	15-30
	100

**H**




Art.-no.				GISCODE
11039-000000	1 l/5 l	12/4	480/128	W2+



## Fugenkittlösung

Solvent-based binder.

- Rapid drying
- Excellent sanding properties
- Exceptional color fidelity even with exotic wood species
- Prevents finish shrinkage

	
	30-60
	100

**H**

Art.-no.				GISCODE
11085-100000	5 l/12 l	4/-	120/42	G2



### EasyPrime

Polyurethane-acrylate water-based primer for roller and trowel application for wooden floors.

- Used on millions of m<sup>2</sup> worldwide every year
- All-rounder offering maximum processing reliability
- Premium quality at a fair price
- Optimised adhesion between wood and finish
- Reduces side bonding
- Suitable for use with practically all European and exotic woods, as well as in sports and multipurpose halls



min	60	30
ml/m <sup>2</sup>	100-120	40-60

**H**

Art.-no.				GISCODE
11036-900000	1 l/5 l/10 l	12/4/-	480/128/60	W3+



### VivaPrime

Acrylate water-based primer for roller and trowel application.

- Reduces side bonding
- Excellent adhesion with the finish
- Suitable for renovation and new installation
- Good price/performance ratio
- Safe, simple processing



min	60	30
ml/m <sup>2</sup>	100-120	40-60

**H**

Art.-no.				GISCODE
11518-000000	5 l/10 l	4/-	128/60	W2+



### PrimaSeal Plus

Alcohol-based primer for wooden floors.

- Easy and safe application
- Excellent blocking of wood ingredients and old contamination
- Intensifies the color of the wood
- Good price/performance ratio

min	60-90
ml/m <sup>2</sup>	100-120

**H**

Art.-no.				GISCODE
11033-600000	5 l	4	128	G1


**2K Intensive** ADVANCED TECHNOLOGY

High-Solid 2-component oil-based primer for wooden floors.



- Significant deepening of the wood color
- Cobalt and butanoxime-free
- Combines oiled look with the advantages of finished surfaces
- Easy and safe application
- No roughening of the wood
- No side-bonding effect





h 12

g/m<sup>2</sup> 20-40

**H**

Art.-no.	Variant				GISCODE
11053-000000	Transparent	600 g/2,5 kg	4	320/120	Ö40/DD+


**2K IntensiveColor** ADVANCED TECHNOLOGY

Colored 2-component High-Solid oil-based primer for wooden floors.



- All variants can be mixed with each other
- Cobalt and butanoxime-free
- Easy and safe application
- Versatile design options
- No roughening of the wood
- No side-bonding effect





h 12

g/m<sup>2</sup> 20-40

**H**


Art.-no.	Variant				GISCODE
11053-...	Various colors	2,5 kg	4	120	Ö40/DD+

All colors are also available in sample cans.

11053-90 / SampleSet / 13 x 83 g IntensiveColor + 2 x 100 g Hardener + 5 x 100 ml PreTone + 1 x small roller + 1 x SpecialPad beige



- |                        |                         |                 |                      |                    |                    |                        |                      |                      |                          |                         |
|------------------------|-------------------------|-----------------|----------------------|--------------------|--------------------|------------------------|----------------------|----------------------|--------------------------|-------------------------|
| 700152<br>Classic Grey | 900153<br>Country White | 900152<br>Ebony | 800208<br>Golden Oak | 700153<br>Gunstock | 800210<br>Jacobean | 800213<br>Mesquite Red | 800209<br>Provincial | 800214<br>Sedona Red | 800211<br>Special Walnut | 800212<br>Weathered Oak |
|------------------------|-------------------------|-----------------|----------------------|--------------------|--------------------|------------------------|----------------------|----------------------|--------------------------|-------------------------|



900127  
Chalk

Color samples are not binding






## EasyFinish






1) Semi-gloss



Water-based 1-component finish for wooden floors.


- Easy 1K system combined with 2K performance
- Outstanding application qualities – easy to use and safe, no lap marks
- Very low emission, certified to EMICODE® EC1
- Suitable for almost all wood species as well as cork
- EasyFinish semi-gloss combined with LOBACARE SportCare meets the requirements for friction according to DIN 18032 for sports floors
- Long-lasting beauty of the floor – high resistance to mechanical wear and household chemicals

Art.-no.	Variant				GISCODE
11517-000003	Satin	1 l/5 l	12/4	480/128	W3+
11517-000001	Semi-gloss	1 l/5 l/10 l	12/4/-	480/128/60	
11517-000002	Glossy	5 l	4	128	

## Easy-Line

Standard recommendation for the finishing of heavily used wood floors.

- 7 Second coat **EasyFinish** with LOBATool Roller Microfiber 100-120 or LOBATool Roller Deluxe 120
- 6 Intermediate sanding with LOBASAND LochPad P120 or finer
- 5 First coat **EasyFinish** with LOBATool Roller Microfiber 100-120 or LOBATool Roller Deluxe 120
- 4 Application **EasyPrime** with LOBATool Roller Microfiber 100-120 or LOBATool Roller Universal 100
- 3 **Final sanding** – see LOBASAND, also for an additional final sanding with a multiple or single disc machine
- 2 Smooth the floor over with **EasyFillPro** and sanding dust of the respective wood species, fill joints
- 1 Coarse and medium sanding – see LOBASAND

 Please consider the detailed technical information, application instructions and set-up recommendations.

Discover the perfectly matched LOBADUR Easy products.

With LOBACARE cleaning and care products the beauty of your floors will remain.



## Viva

Water-based 1-component finish for wooden floors.

- Excellent chemical and abrasion resistance
- Very good resistance to black heel marks
- Powerful resistance to plasticisers from parquet adhesives
- Easy and safe application, no lap marks
- Full "Connected Systems" approval
- Low VOC content
- Very low emission, certified to EMICODE® EC1



	4-6
	100-120



Art.-no.	Variante				GISCODE
11519-100003	Satin	5 l/10 l	4/-	128/60	W2+
11519-100001	Semi-gloss	1 l/5 l/10 l	12/4/-	480/128/60	



## Life

Water-based 1-component finish for wooden floors.

- Good price/performance ratio
- Balanced properties
- High filling capacity
- Easy and safe application



	4-6
	100-120



Art.-no.	Variante				GISCODE
11524-900003	Satin	5 l/10 l	4/-	128/60	W2+
11524-900001	Semi-gloss	5 l/10 l	4/-	128/60	
11524-900002	Glossy	5 l	4	128	



2K Duo



Improved slip resistance for all sheen levels



LoBada GmbH & Co. KG  
Emissionsgeprüfte Bauprodukte  
nach EN15026  
215710-2






1)



2)



3)

	
	4-6
	100-120

- 1) Satin, Semi-gloss, Anti-slip R9, Anti-slip R10
- 2) Anti-slip R9
- 3) Anti-slip R10

Water-based 2-component polyurethane finish for wooden floors.

- Easy and safe application
- Very low emission, certified to EMICODE® EC1 R Plus
- Qualified for various floorings
- Excellent wear resistance
- Excellent chemical resistance
- Certified anti-slip properties as per DIN 51130 for work areas

Art.-no.	Variant				GISCODE
11466-900004	Extramatt	5 kg	2	96	W3/DD+
11466-900003	Satin	1 kg/5 kg	6/2	360/96	W2/DD+
11466-900001	Semi-gloss	1 kg/5 kg	6/2	360/96	
11466-900002	Glossy	5 kg	2	96	W3/DD+
11466-900093	Anti-slip R9	5 kg	2	96	W2/DD+
11466-900103	Anti-slip R10	5 kg	2	96	

Versatile and proven worldwide!

As a true all-rounder, 2K Duo ensures durable wooden surfaces and can be used in almost all areas – from festival halls and offices to your own four walls. This particularly low-emission parquet finish is suitable for almost all types of wood and offers various gloss levels. New: increased slip resistance of the variants glossy, semi-gloss, satin, extra-matt.

Increased slip resistance

- glossy
- semi-gloss
- satin
- extramatt



## 2K InvisibleProtect ADVANCED TECHNOLOGY

New-generation, water-based surface protection for parquet and hardwood floors.

- Natural structure and feel like untreated wooden flooring
- Easy to work with
- 2-coat system without primer
- Certified anti-slip properties as per DIN 51130 for work areas
- No polishing effect
- Excellent chemical resistance
- As easy to clean as finished surfaces
- No grain accentuation, the original color of the wood remains as it was in its original state

	4-6
	110-130



Art.-no.				GISCODE
11474-000005	1 kg/5 kg	6/2	360/96	W2/DD+



## 2K Supra ADVANCED TECHNOLOGY

Ceramic-reinforced water-based 2-component polyurethane finish for wooden floors.

- Fully usable after 12 hours
- Sets new standards in quality
- Meets highest demands
- Extremely high scratch resistance thanks to ceramic components
- Qualified for various floorings

	4
	100-120



1) Satin

Art.-no.	Variant				GISCODE
11465-000003	Satin	5 kg	2	96	W3/DD+
11465-000001	Semi-gloss	5 kg	2	96	



## 2K Fusion

Water-based 2-component polyurethane finish for wooden floors.

- Easy and safe application
- Excellent wear resistance
- Good price/performance ratio
- Certified anti-slip properties as per DIN 51130 for work areas

	4-6
	100-120



1) Anti-slip R9

Art.-no.	Variant				GISCODE
11471-000003	Satin	5 kg	2	96	W3/DD+
11471-000001	Semi-gloss	5 kg	2	96	
11471-000093	Anti-slip R9	5 kg	2	96	W2/DD+



### 2K UltraSport

Water-based 2-component polyurethane finish for wooden floors.




- Meets the requirements of German and European sports flooring standards
- Extremely high scuff-mark resistance
- Easy and safe application
- Excellent wear resistance



1)

DIN 18032  
EN 14904

1) Extramatt

	
	4-6
	100-120



Art.-no.	Variante				GISCODE
11401-900005	Extramatt	5 kg	2	96	W3/DD+
11401-900003	Satin	5 kg	2	96	






### 2K UltraElastic

Water-based 2-component polyurethane finish for resilient floorings.

- Lap-free application
- Specially developed for renovating linoleum, PVC, CV and LVT coverings
- Reduces the cleaning effort due to reduced dirt adhesion
- Optimised joint protection safeguards the substrate
- Certified anti-slip properties as per DIN 51130 for work areas



	
	2
	60-80



Art.-no.	Variante				GISCODE
11043-000005	Extramatt	5 kg	2	96	W3/DD+



## Whitener

Additive for brightening wood surfaces.

- Creates a smooth brightening of the wood surface
- Intensifies the whitening effect of white colored surfaces
- Variable control of brightening intensity
- May be combined with all water-based primers and finishes from LOBA
- Reduces the natural yellowing of the wood
- Provides individual design options
- Water-based technology, solvent-free
- Simple and safe application



Art.-no.			GISCODE
11540-900126	80 ml	15	W1

## Amberizer

Additive to achieve a color intensification of wood surfaces.

- May be combined with all water-based primers and finishes from LOBA
- For an aged look with the resistance of a finished surface
- Adjustment of newly finished surfaces to solvent-containing finished existing surfaces
- Water-based technology, solvent-free
- Simple and safe application



Art.-no.			GISCODE
11540-800217	100 ml	15	W1

## UV-Protect

Prevents the UV-light induced yellowing of light colored wood species.

- Original appearance of the wood is preserved long-term
- Can be used for all water-based LOBADUR finishes
- Innovation by LOBA



Art.-no.		
11017-000000	100 ml	15



### Argo

Additive to prolong the drying time.

- Reduces the risk of lap marks
- Finish film properties are unchanged

Art.-no.		
11015-000000	250 ml	12



## Sealer FR

2-component special finish for wooden floors.

- Active improvement of fire protection
- For properties with fire protection regulations
- Simple processing in the LOBA system
- No negative effects on appearance
- Innovation by LOBA



	12
	100-120

**H**

Art.-no.				GISCODE
11833-000000	5 kg	2	96	W3+



## ProColor

Stain for wooden floor based on solvents.

- Versatile design options
- Easy and safe application
- All variants can be mixed with each other
- Variety of possible combinations




	12
	30-50

**H**

Art.-no.	Variant				GISCODE
11012-...	Various colors	750 ml	12	432	G1

All colors are also available in sample cans.






Color samples are not binding



### 2K Contact

Water-based 2-component adhesive primer.

- Recommended by leading industrial wood floor manufacturers
- Extremely economical to use
- Enables dust-free renovation
- Original appearance remains preserved during restoration
- Time and cost saving

	
	2
	10

**H** **C**

Art.-no.				GISCODE
11520-000000	750 g	4	384	W3/DD+



### TopGel

Water-based polyurethane-acrylate trowel finish.

- Prepares the surface for the last coat
- Visually fuller surface
- Extremely economical to use

**Ü**  
loba GmbH & Co. KG  
 Emmerlingstraße 10  
 41523 Grefrath

	
	30
	20

**H**

Art.-no.				GISCODE
11455-000000	4 kg	4	84	W3+








**2K Rush** ADVANCED TECHNOLOGY

UV-curing 2-component water-based polyurethane finish for wooden floors.

- Sets new standards in quality
- Certified anti-slip properties as per DIN 51130 for work areas
- Meets highest demands
- Long durability
- Robust surface
- No waiting time until use



	
	2-3
	100



Art.-no.	Variant				GISCODE
11612-000093	Anti-slip R9	5 kg	2	96	W2/DD+






**Rush** ADVANCED TECHNOLOGY



UV-curing 1-component water-based polyurethane finish for wooden floors.

- Sets new standards in quality
- Meets highest demands
- Long durability
- Robust surface
- No waiting time until use



	
	2-3
	100



Art.-no.	Variant			GISCODE
11611-000003	Satin	10 l	60	W2+
11611-000001	Semi-gloss	10 l	60	



Maximum environmentally friendly and ultra-fast:  
UV on-site wood floor finish

Our water-based, low-emission and scratch-resistant solution when time is short.






## FactoryBase

Water-based roller primer for cement-based levelling compounds for direct use.

- Easy and safe application
- Time efficient through application in a 2-coat system (1x primer 1x finish)
- Optimizes adhesion between levelling compound and finish
- Applicable in a system with LOBADUR 2K FactoryStyle and numerous levelling compounds



	
	3
	100-120

Ce

Art.-no.				GISCODE
11751-000000	5 l	4	128	W2+






## 2K FactoryStyle

2K water-based polyurethane finish for cementitious levelling compounds for direct use.

- Particularly low emission according to EMICODE® EC1 Plus
- Uniform matt surface
- Wide range of applications also in public areas due to anti-slip R9
- Time efficient through application in a 2-coat system (1x primer 1x finish)



	
	4-6
	100

Ce 

Art.-no.	Variant				GISCODE
11743-000094	Extramatt	5 kg	2	96	W2/DD+



**Minimalist industrial look through exposed concrete appearance – with the Factory Line.**

The particularly low-emission and extra-matt 2K FactoryStyle maintains the color of cement-based levelling compounds and transforms them into slip-resistant flooring with high mechanical resistance.



### DeckPrepare

Primer for wooden decks in outdoor areas.

- Delays the weather-related graying of wood
- Strengthens the protective effect of the subsequent surface refinement
- Improves the adhesion of the subsequent coating to the substrate
- Easy and safe application
- Quick-drying
- Color- and odorless
- Environmentally friendly
- Applicable in a system with LOBADUR DeckFinish Color. Optional application before impregnation with LOBASOL DeckOil / Color

	1
	100-120

**H**

Art.-no.				GISCODE
11841-000000	5 l	4	128	W2+



### DeckFinish Color

1K water-based finish for exterior wooden surfaces.

- Deep protection against UV radiation, frost and moisture
- Chlorine resistant
- Safe, simple processing
- No roughening of the wood
- Short drying time
- Suitable for all types of wood
- Suitable for smooth and grooved planks
- Applicable in a system with LOBADUR DeckPrepare

	2-3
	100-120


**H**

Art.-no.	Variant				GISCODE
11842-...	Various colors	5 l	4	128	W3+



Color samples are not binding







LOBASOL® 

## Natural oils and waxes. Nothing beats natural beauty.

Wood finishing in a fascinating variety of colors. Nothing brings out the warmth, naturalness and texture of wooden floors as beautifully as an oiled finish. The first-class oil and wax systems by LOBA accomplish this task sustainably. They are based on natural raw materials and convince by outstanding properties: their high wear resistance, moisture- and dirt-repellent formula as well as exceptional chemical resistance make LOBASOL products the ideal solution for the most demanding applications.



HOME



## 1. European wood species

Wood species	2K ImpactOil	Akzent 100 Oil	HartwachsOil EcoPlus	Markant / MarkantColor	MarkantNature
Acacia / Yellow Locust	+	+	+	+	+
Acacia / Yellow Locust steamed	+	+	+	+	◇
Alder	+	+	+	+	+
Ash	+	+	+	+	+
Beech natural	+	+	+	+	+
Beech steamed	+	+	+	+	◇
Birch	+	+	+	+	+
Black Cherry	+	+	+	+	◇
Cherry (European)	+	+	+	+	+
Chestnut tree	+	+	+	+	+
Elm	+	+	+	+	+
Larch	+	+	+	+	+
Maple (Canadian)	+	+	+	+	+
Maple (European)	+	+	+	+	+
Olive tree	+	+	+	◇	◇
Pear tree	◇	◇	◇	-	-
Pine	+	+	+	+	+
Smoked Oak	+	+	+	+	◇
Spruce	+	+	+	+	+
Walnut (European)	+	+	+	+	◇
White Oak	+	+	+	+	+

## 2. Exotic wood species

Afromosia / Kokrodua	+	+	+	+	◇
Arrurra Vermelho	+	+	+	+	◇
Cabreuva	+	+	+	+	◇
Camwood	+	+	+	-	-
Coconut	+	+	+	-	◇
Cumaru / Almendrillo	+	+	+	+	+
Cypress	◇	◇	◇	◇	◇
Doussie / Afzelia	+	+	+	+	◇
Eucalyptus / Jarrah	+	+	+	-	-
Eucalyptus / Spotted Gum	+	+	+	+	+
Guatambu	+	+	+	◇	◇
Hard Pine (new floors)	+	+	+	◇	◇
Ipe / Lapacho / Guaycan	◇	◇	◇	-	-
Iroko / Kambala	+	+	+	+	◇
Iron Wood	+	+	+	◇	◇
Jatoba / Brazilian Cherry	+	+	+	+	◇
Kotibe	+	+	+	+	◇
Mahogany	+	+	+	+	◇
Massaranduba	+	+	+	◇	◇
Mecrusse	+	+	+	+	◇
Merbau	+	+	+	+	◇
Muhuhu	+	+	+	+	◇
Opepe	+	+	+	+	+
Partridge Wood	+	+	+	+	◇
Piguiá Marfin	+	+	+	◇	◇
Pitch Pine (old floors)	+	+	+	+	+
Purpleheart	+	+	+	◇	◇
Rubberwood	+	+	+	+	+
Sucupira	+	+	+	+	◇
Tasmanian Oak	+	+	+	+	+
Teak	+	+	+	+	◇
Wenge	+	+	+	+	◇

## 3. Other surfaces

Chipboard	◇	◇	◇	◇	◇
Multiplex	+	+	+	◇	◇
OSB Board	◇	◇	◇	◇	◇

+ = Without limitation applicable  
 ◇ = Application can cause problems. Please consult LOBA prior to use  
 - = Use is not recommended








## PreTone

Water-based pigment stain for wooden floors.


- For significantly bolder colors
- Reduced oil-specific yellowing
- Easy and safe application
- Solvent-free
- Virtually limitless color combinations are possible
- Odor neutral

	
	12-24
	100-120

**H**

Art.-no.	Variant				GISCODE
10612-...	Various colors	2,5 l	6	144	W2+

All colors are also available in sample cans.






Color samples are not binding



## 2K ImpactOil

2-component HighSolid oil-based on natural ingredients.

- Excellent water resistance for parquet flooring in wet zones such as bathrooms or spa areas
- Time-saving processing in a 1-day system
- Extremely economical to use
- 100% solid – solvent-free
- Certified anti-slip properties as per DIN 51130 for work areas
- Easy and safe application
- One roller application is sufficient
- Can be used after only 24 hours
- Suitable for children's toys as per EN 71-3

	
	12
	30-60

**H Ce**



Art.-no.	Variant				GISCODE
10610-000000	Transparent	750 g/2,5 kg	4	400/120	Ö10/DD+

### 2K ImpactOil Color

Colored HighSolid oil based on natural ingredients.

- Excellent water resistance for parquet flooring in wet zones such as bathrooms or spa areas
- Time-saving processing in a 1-day system
- Extremely economical to use
- 100% solid – solvent-free
- All variants can be mixed with each other
- Easy and safe application
- Certified anti-slip properties as per DIN 51130 for work areas
- Suitable for children's toys as per EN 71-3

	12
	30-60



H



Art.-no.	Variant				GISCODE
10610-...	Various colors	750 g	4	400	Ö10/DD+

All colors are also available in sample cans.  
10610-90 / SampleSet / 17 x 100 ml + 5 x 100 ml PreTone

Basic colors							
	900005 Black	900126 White	900148 Grey				
Wood colors							
	800099 Mahogany	800127 Walnut	800132 Smoked oak	800145 Kambala	800149 Sucupira	800150 Wenge	800200 Antique oak
Trend colors							
	700133 Papyrus	900127 Chalk	900143 Oyster	900144 Clay	900145 Sand	900146 Pearl	900147 Silver

Color samples are not binding

### Coloration with 2K ImpactOil Color

Standard recommendation for the coloring impregnation of wood floors.

- 1 Preparation according to steps 1 to 3 of the Easy Line, if there are joints to be filled; otherwise steps 1 and 3
- 2 First application of **2K ImpactOil Color** with LOBATool Trowel, allow to penetrate
- 3 After the penetration time, level out with a single-disc machine and LOBASAND SpecialPad beige
- 4 Apply a second layer of **2K ImpactOil Color** with LOBATool Trowel, allow to penetrate
- 5 After the penetration time, level out with a single-disc machine and LOBASAND SpecialPad beige

Please note the detailed technical information, processing instructions and set-up recommendations as well as technical tips and tricks „Sanding Instruction Staining of Wooden Floors“

Discover the infinite color variety of 2K ImpactOil Color, also in combination with PreTone.  
With LOBACARE care and maintenance products, the beauty of your floors will persist.






## Akzent 100 Oil

High Solid Oil for wood floors on natural base.

- Made of plant-based oils
- 100% solid – solvent-free
- Extremely economical to use
- High resistance to water
- Easy and safe application
- Certified anti-slip properties as per DIN 51130 for work areas
- Suitable for children's toys as per EN 71-3



	
	12-24
	60 30-60

**H**

Art.-no.			
10601-000000	750 ml/3 l	6	432/180






## Akzent 100 Wax

HighSolid oil/wax-based on natural ingredients.

- Smooth and full bodied appearance
- 100% solid – solvent-free
- Extremely economical to use
- Increases the surface's water resistance
- Suitable for children's toys as per EN 71-3



	
	12-24
	10-20

**H**

Art.-no.				GISCODE
10602-000000	750 ml	6	480	Ö10+



## HardwaxOil EcoPlus

Natural hardwaxoil.

- Smooth and full bodied appearance
- One roller application is sufficient
- Cobalt and butanonoxime-free
- Extremely economical to use
- Easy and safe application
- Water and dirt resistant
- Certified anti-slip properties as per DIN 51130 for work areas
- Suitable for children's toys as per EN 71-3



	12-24
	60 30-60

**H**

Art.-no.	Variant				GISCODE
10501-000000	Semi-gloss	2,5 l	4	120	Ö20+



## MarkantNature

High-quality, natural hardwaxoil.

- Non ambering effect, prevents the natural yellowing of wood
- Natural look of an untreated floor
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Certified anti-slip properties as per DIN 51130 for work areas
- Suitable for children's toys as per EN 71-3



	12
	60-100

**H**

Art.-no.				GISCODE
10508-000009	750 ml/2,5 l	6/4	432/120	Ö60



## Markant

Natural hardwaxoil.

- Film-forming, wear-resistant
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Accentuates the natural beauty of the wood
- Certified anti-slip properties as per DIN 51130 for work areas
- Suitable for children's toys as per EN 71-3



	12
	60-100 20

**H C**

Art.-no.	Variant				GISCODE
10508-000003	Satin	750 ml/2,5 l/10 l	6/4/-	432/120/42	Ö60
10508-000004	Extramatt	750 ml/2,5 l/10 l	6/4/-	432/120/42	
10508-000000	Semi-gloss	750 ml/2,5 l/10 l	6/4/-	432/120/42	






### MarkantColor

Colored natural hardwaxoil.

- Film-forming, wear-resistant
- Smooth and full bodied appearance
- Water and dirt resistant
- Easy and safe application
- Accentuates the natural beauty of the wood
- All variants can be mixed with each other
- Suitable for children's toys as per EN 71-3



	
	12
	20


**H**

Art.-no.	Variant				GISCODE
10508-...	Various colors	750 ml	6	432	Ö60

All colors are also available in sample cans.

Basic colors									
	900005 Black	900126 White	900148 Grey						
Wood colors									
	800099 Mahogany	800127 Walnut	800132 Smoked oak	800145 Kambala	800149 Sucupira	800150 Wenge	800200 Antique oak		
Trend colors									
	700133 Papyrus	900127 Chalk	900143 Oyster	900144 Clay	900145 Sand	900146 Pearl	900147 Silver		

Color samples are not binding



Give your project the final touch – with LOBASAND!

A perfect sanding result is a precondition for beautiful oiled and waxed floors. High-quality abrasives and pads are available in the LOBASAND product range.





### DeckOil

Oil impregnation for wooden surfaces in outdoor areas.

- Deep protection against frost and moisture
- Good penetration behaviour
- Easy and safe application
- Also suitable for impregnation of garden furniture
- Applicable on smooth and grooved planks
- The preceding use of LOBADUR DeckPrepare increases the durability
- Suitable for children's toys as per EN 71-3



	12
	80-120

**H**

Art.-no.	Variant			
10616-000000	Transparent	750 ml/2,5 l/12 l	6/4/-	432/120/42



### DeckOil Color

Colored oil impregnation for wooden surfaces in outdoor areas.

- Deep protection against UV radiation, frost and moisture
- Good penetration behaviour
- Safe, simple processing
- Also suitable for impregnation of garden furniture
- Applicable on smooth and grooved planks
- The preceding use of LOBADUR DeckPrepare increases the durability
- Suitable for children's toys as per EN 71-3



	12
	80-120

**H**

Art.-no.	Variant				GISCODE
10616-...	Various colors	2,5 l	4	120	Ö60



Color samples are not binding



**LOBACARE®** 

## Care and cleaning products for professional use.

Gentle protection for beautiful floors. LOBA thinks beyond the finishing of valuable flooring: in order to optimally protect the finish and maintain it for as long as possible, we offer top-quality care and cleaning products for professional users. Besides our own expertise, our care products, oils, waxes, soaps and cleaners also contain the best raw materials available. Caring and cleaning with LOBA: for those who think long-term!



HOME





## CareRemover

Remover for finished floors.

- Removes old layers of care product
- Removes stubborn dirt
- Can be used universally on various finished floors
- Material-protecting and pH-neutral

	
	30
	1-2

**H C L P S**

Art.-no.			
10065-900000	1 l/10 l	12/-	480/60




## WaxRemover

Remover solvent-based for oiled and waxed floors.

- Classic intensive cleaner for oiled / waxed floors
- Also suitable for water-sensitive flooring

	
	60
	2-4

**H C L P**

Art.-no.				GISCODE
10309-400000	1 l	6	480	GG0

# Soap



## ParkettSoap

Water-based soap for oiled and waxed floorings.

- Good cleaning effect
- Care effect

	
	60
	0,1

**H C**




Art.-no.	Variant				GISCODE
10048-000000	Transparent	1 l/5 l	12/4	480/128	GU70
10048-900126	White	1 l	12	480	



## Cleaner

Highly concentrated, pH-neutral cleaner.

- Excellent cleaning effect thanks to superb dirt-dissolving power
- Extremely economical concentrated, 1 litre of LOBACARE Cleaner yields up to 200 litres of ready-to-use cleaning solution
- Material-protecting and pH-neutral
- Can be used universally for all waterproof surfaces
- Environmentally friendly biodegradable cleaner

	
 min	30
 /100m <sup>2</sup>	0,1

**H C L P S**




Art.-no.				GISCODE
10175-400000	1 l/10 l	12/-	480/60	GU73



## CleanFix

Ready to use, pH-neutral cleaner.

- Less domestic waste thanks to refillable spray bottle
- Excellent cleaning effect thanks to superb dirt-dissolving power
- Can be used universally for all waterproof surfaces
- Environmentally friendly biodegradable cleaner

	
 min	15
 /100m <sup>2</sup>	0,2

**H C L P S**




Art.-no.				GISCODE
10176-000000	1 l	12	480	GU40



## LaminatCleaner

Highly concentrated, pH-neutral cleaner.

- Significantly reduces the risk of swollen edges with laminate flooring
- Extremely economical concentrate
- Also suitable for plastic-coated furniture, walls, doors and windows
- Streak-free drying
- Material-protecting and pH-neutral
- Excellent cleaning effect thanks to superb dirt-dissolving power

	
 min	15
 /100m <sup>2</sup>	0,1-0,2

**La**

Art.-no.				GISCODE
10443-000000	1 l	12	480	GU50



### Sportbodenpflege

Water-based wipe care product.

- For regular wipe care in sports halls
- Can also be machine applied
- Meets the requirements of German and European sports flooring standards
- Extremely economical concentrate
- No basic cleaning required

EN 14904

	60
	1

**L P**

Art.-no.				GISCODE
10059-000000	10 l		60	GU83



### CareCleaner

Water-based wipe care product.

- Can be used universally on various finished floors
- Extremely economical concentrate
- Can also be machine applied
- Clearly visible care effect
- No basic cleaning required



FIBA  
APPROVED  
EQUIPMENT

DIN 18032

	60
	1

**H C L P S**

Art.-no.				GISCODE
10046-000000	1 l/10 l	12/-	480/60	GU40



### WaxCleaner

Water-based wipe care product.

- Leaves behind a thin protective wax film
- Extremely economical concentrate
- Material-protecting and pH-neutral
- Good cleaning effect
- Can be used universally on various oiled floors

	60
	0,3

**H C**

Art.-no.				GISCODE
10041-400000	1 l/10 l	12/-	480/60	GU73






### ParkettCare

Water-based floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Can be used without restriction for prefinished wood floors
- Recommended by leading industrial wood floor manufacturers
- Brings new shine to heavily used and worn floors
- Easy and safe application



**H**


Art.-no.	Variant				GISCODE
10011-400003	Satin	1 l/5 l	12/4	480/128	GE10
10011-400000	Silk Gloss	1 l/5 l/10 l	12/4/-	480/128/60	






### FloorCare

Water-based floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Can be used universally on various finished floors
- Brings new shine to heavily used and worn floors
- Easy and safe application



**H C L P S**


Art.-no.	Variant				GISCODE
10490-400003	Satin	1 l/5 l	12/4	480/128	GE10
10490-400000	Silk Gloss	1 l/10 l	12/-	480/60	GE20
10490-400180	Anti-slip	10 l	-	60	GE10



### KorkCare

Water-based floor care product.

- Universal care product for all finished cork flooring
- Brings new shine to heavily used and worn floors
- Easy and safe application
- Water-based and eco-friendly
- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Recommended by leading manufacturers of prefabricated cork



**C**

Art.-no.				GISCODE
10265-400000	1 l	12	480	GE10



### SportCare

Water-based floor care product.

- Maintains the floor's value and appearance
- Provides long-term protection against wear
- Brings new shine to heavily used and worn floors
- Prevents scuff marks from shoe soles in the finish
- Especially safe to walk on
- Easy and safe application



**FIBA**  
APPROVED  
EQUIPMENT

**DIN 18032**  
**EN 14904**



**H C L P**

Art.-no.				GISCODE
10055-000000	1 l/10 l	12/-	480/60	GE20



### V6 Finish

Polyurethane floor care product.

- Particularly wear-resistant, pure PU permanent care product
- Provides long-term protection against wear
- Brings new shine to heavily used and worn floors
- Can be used universally on various finished floors
- Extremely high scuff-mark resistance



**H C L P**




Art.-no.	Variant				GISCODE
10189-000003	Satin	1 l/5 l	12/4	480/128	GE10
10189-000000	Glossy	1 l/5 l	12/4	480/128	



## NatureOil

Water-based maintenance oil.

- Refreshes tired and worn floors
- Removes slight damage in oiled surfaces
- Solvent-free
- Odor neutral
- Innovation by LOBA

	
	4-6
	1-3

H




Art.-no.				GISCODE
10100-000000	1 l/5 l	15/4	540/128	Ö10+



## ParkettOil

Maintenance oil solvent-based.

- Refreshes tired and worn floors
- Removes slight damage in oiled surfaces
- Ideal for full-surface care or partial improvements
- Easy and safe application
- Preserves the anti-slip properties of oiled flooring

	
	12
	1

H C




Art.-no.				GISCODE
10461-400000	1 l/5 l	6/4	480/120	Ö60



## ParkettOil Pro

High performance maintenance oil.

- For maintenance of heavily leached, open-pored, oiled surfaces
- Specially for re-impregnation after intensive cleaning
- Ideal for full-surface care or partial improvements
- Preserves the anti-slip properties of oiled flooring

	
	12
	1


H

Art.-no.	Variant				GISCODE
10466-000000	Transparent	1 l/5 l	6/4	480/120	Ö40+
10466-900126	White	1 l	6	480	

### NatureWax

Water-based maintenance wax.

- Protects the floor against water and dirt
- Easy and safe application
- Solvent-free
- Odor neutral
- Easy to polish
- Innovation by LOBA



h 1

l/100m<sup>2</sup> 1-2




H

Art.-no.				GISCODE
10105-000000	1 l/5 l	15/4	540/128	GE10

### ParkettWax

Maintenance wax solvent-based.

- Protects the floor against water and dirt
- Classic floor wax
- Closes open pores in the wood
- Easy to polish



min 60

l/100m<sup>2</sup> 1-2



H C L




Art.-no.	Variant				GISCODE
10429-400000	Transparent	1 l/12 l	6/-	480/50	Ö60
10429-480031	Red brown	12 l	-	50	



### DeckDegrayer

Special cleaner for wooden surfaces in outdoor areas.

- Ideal degreasing preparation for follow-up treatment
- Easy and safe application
- Can be used on horizontal and vertical surfaces and garden furniture, does not drip
- No sanding necessary
- Applicable to all wood species

	
 min	10
 ml/m <sup>2</sup>	150-200

H

Art.-no.				GISCODE
10741-000000	2,5 l	6	144	GG10



### DeckCleaner

Maintenance cleaner for outdoor areas.

- Can be used for maintenance and intensive cleaning
- Very productive
- Suitable for oiled and finished wood and WPC

	
 min	60
 ml/m <sup>2</sup>	0,1

H

Art.-no.				GISCODE
10731-000000	2,5 l	6	144	GU70



### DeckRefresh

Water-based wipe care for outdoor areas.

- Thorough, gentle wipe care
- Gives the surface a silky sheen
- Easy and safe application
- No remover necessary due to a self-emulsifying formula
- Suitable for oiled and finished wood surfaces in outdoor areas

	
 min	30
 l/100m <sup>2</sup>	1

H

Art.-no.				GISCODE
10711-000000	2,5 l	6	144	GU40









### WPC Refresh

Maintenance oil based on solvents.

- Optical upgrading for WPC and oiled wood surfaces
- Brings back the silky matte look
- Easy and safe application
- Suitable for WPC and oiled wood surfaces

	
	12
	10-30

**H**

Art.-no.				GISCODE
10721-000000	1 l	6	480	Ö60

**Our successful Deck Line has grown – get to know the new LOBA outdoor products!**

From basic cleaning to finishing or oiling to maintenance:  
With us you will find everything for your deck and garden furniture made of wood or WPC. Well protected by LOBA, your favorite spot will resist any weather!



A person in a beige sweater is using a mop on a light-colored wooden floor. The mop has a dark handle and a white head. The person's hands are visible, holding the handle. The background is slightly blurred, showing a green plant in a blue pot.

LOBAHOME

# Floor care products from the professional – especially for end consumers.

First-class floor care for home use. Maintaining your parquet floor like an expert doesn't have to be a feat – as long as you have the right products to hand. LOBAHOME care products combine our experience from the professional sector with an easy application for home use. The universal parquet care and cleaning products have been developed especially for fast but intensive care and cleaning of parquet floors. No special applicators are needed, a standard mop is sufficient. Just apply, wipe – and you're done!






# Hygiene

## HygieneGel



Fast and convenient hand hygiene for home and travel.

- Complies with the WHO recommendation for hand disinfection
- Limited virucidal according to DIN EN 14476 – effective against enveloped viruses such as corona and influenza
- The gel is pleasant to apply and slightly moisturizing
- Available in two sizes: a practical 100 ml bottle or a 500 ml bottle with dosing pump

Art.-no.	Description			
10074-100000	Bottle with screw-on snap hinge cap	100 ml	120	2880
10074-000000	Bottle with convenient dosing pump	500 ml	6	1044



**Stay healthy with LOBA.**

Reliable protection for your family, employees and customers: HygieneGel is effective against enveloped viruses such as corona and influenza. And also available with your branding!



### SprayMop Set

Practical mop with integrated spray system specially developed for the cleaning of parquet, hardwood and cork floors. Fast and easy cleaning, no bucket required.

Art.-no.	Description		
16250-000000	refillable reservoir for approx. 750 ml	12	192



### Refill

1 Bottle of 250 ml amounts up to 4L of ready-to-use cleaner. Also available as counter display incl. 12 x Refill 250 ml.

Art.-no.			GISCODE
10177-000000	250 ml	45	GU40

### Mop Cover

Microfibre mop cover for LOBAHOME SprayMop and Mop. Washable at 60°C.



Art.-no.	Dimensions	
16253-000000	microfibre mop cover 43 x 14 cm	1



### SprayMop Set

Fast and easy cleaning,  
with excellent results!

The LOBAHOME SprayMop Set is a practical mop with an integrated spray system, specially developed for the mist-damp cleaning of parquet, wooden and cork floors. The reusable SprayMop set makes cleaning effective and convenient.

### Our tips for your long-lasting flooring:

- Use proper mats at all exterior entrances. Scrapper mats outside and walk-off mats inside are ideal.
- Sweep or vacuum regularly to remove dirt and dust.
- Use floor protectors for finished wood flooring on your furniture.
- Carry out an intensive treatment once a year.
- Only use recommended LOBA cleaners and maintenance products to care for your flooring, as unsuitable or aggressive cleaning products may affect its appearance and life cycle.
- For strongly strained or damaged flooring, contact your local LOBA dealer or our Customer Service. We will be happy to advise you.



## FloorCleaner+

The cleaning solution from the professional for wood floors as well as all water-resistant surfaces. Powerful results with pleasant scent. Gentle to the surface, pH-neutral and environmentally friendly thanks to natural ingredients.

Art.-no.				GISCODE
10020-000000	1 l	12	480	GU70



## ParkettRefresh+ for varnished floors

The floorcare solution from the professional for finished hardwood floors. Cleans and cares in one wipe. Protects against wear and wetness. Easy to use.

Art.-no.				GISCODE
10013-000000	1 l	12	480	GU40



## ParkettRefresh+ for oiled floors

The floorcare solution from the professional for oiled hardwood floors. Cleans and cares in one wipe. Protects against wear and wetness. Easy to use.

Art.-no.				GISCODE
10015-000000	1 l	12	480	GU40





## ElasticRefresh+ for PVC, vinyl, design floors and linoleum

The floorcare solution from the professional for elastic floorings. Cleans and cares in one wipe. Protects against wear and wetness. Easy to use.

Art.-no.				GISCODE
10019-000000	1 l	12	480	GU40



## Mop

Suitable for the application of the LOBAHOME products. The high quality microfiber cover is washable at 60°C.

Art.-no.	Dimensions	
16244-000000	extendible 55-150 cm	24



## LOBAHOME product shelf

Practical display for your shop. Provides enough space for the LOBAHOME product range.

Art.-no.	Dimensions	
16020-000000	constructed: H 176 x W 60 x D 40 cm	30

LOBASAND 

## Premium quality sanding products and pads.

The various sanding phases of a new parquet installation or a parquet renovation have a considerable influence on the final result. With our LOBASAND product range, we offer professionals a wide range of top-quality abrasives and pads. The high-performance materials and carrier technologies used guarantee effective working with all common machines for best results.

**SAND STRONG.  
FINISH EASY.**



HOME



**1. Abrasives**

Product	Dimensions	Shape	*	Coarse sanding			Medium sanding			Fine sanding		Final sanding			Intermediate sanding			
Band   Belt	200 x 750 mm					P36	P40		P50	P60	P80		P100	P120				
	200 x 750 mm				P24	P36	P40			P60	P80		P100	P120				
	250 x 750 mm						P40			P60	P80		P100	P120				
	200 x 750 mm				P16	P24	P36	P40		P50	P60	P80		P100	P120			
	250 x 750 mm					P24		P40		P50	P60	P80		P100	P120			

Klett   Velcro Disc	ø 150 mm							P40		P60		P80	P100	P120						P180
	ø 150 mm				P24	P36		P40	P50	P60		P80	P100	P120						
	ø 178 mm				P24	P36		P40	P50	P60		P80	P100	P120						
	ø 200 mm				P24	P36		P40	P50	P60		P80	P100	P120	P150	P180				
	ø 178 mm			P16	P24	P36		P40		P60		P80	P100	P120						
	ø 150 mm			P16	P24	P36		P40		P60		P80	P100	P120						
	ø 150 mm				P24	P36		P40				P80	P100	P120						
	ø 200 mm							P40		P60		P80	P100	P120						
	ø 125 mm							P40		P60		P80	P100	P120						
	ø 150 mm							P40		P60		P80	P100	P120						P180
	ø 150 mm				P24	P36		P40		P60		P80	P100	P120						P180
	ø 178 mm							P40	P50	P60		P80	P100	P120						
ø 200 mm									P60		P80	P100	P120							

DoubleDisc	ø 410 mm			P16	P24	P36	P40			P60	P80		P100			P120				
Gitter   Net	ø 406 mm									P60		P80			P100	P120		P120	P150	P180
LochPad (PerforatedPad)	ø 410 mm											P80			P100	P120	P150	P120	P150	P180

Klett   Velcro Stripe	81 x 133 mm																			P240
-----------------------	-------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------

Dreieck   Triangle	ø 80 mm						P40			P60		P80	P100							
--------------------	---------	--	--	--	--	--	-----	--	--	-----	--	-----	------	--	--	--	--	--	--	--

**\* Key:**

Ceramic  
 Aluminum oxide  
 Zircon corundum  
 Silicone carbide

**2. Pads**

Product	Color	Dimensions	Area of use
HandPadSet	beige	85 x 135 x 10 mm	Equalizing
Pad für Padholder	beige	250 x 120 x 10 mm	Equalizing
SpecialPad	beige	ø 406 x 10 mm	Equalizing


ScrubberPad	black	ø 406 mm	Thorough cleaning
Pad for pad holder	green	250 x 120 x 10 mm	Basic cleaning / intermediate sanding
SpecialPad	green	ø 406 x 10 mm	Basic cleaning / intermediate sanding
SuperPad	green	ø 406 x 10 mm	Basic cleaning / intermediate sanding
Polishing fleece		ø 406 mm	Intermediate sanding

NormalPad	white	ø 406 x 10 mm	Polishing
SuperPad	white	ø 406 x 10 mm	Polishing

DustPad		ø 410 mm	Dust reduction
---------	--	----------	----------------




**Band | Belt**




Aluminium oxide sanding belts for fine sanding results, ideally with a fine and medium finish, zirconium corundum sanding belts for high sanding performance, ideally with a coarse and medium finish. For conventional belt sanders.

- Sold in complete package units only

Art.-no.	Dimensions	Material	Grain size	
17107-000...	200 x 750 mm	ceramic grain	36/40/50/60/80/100/120	10
17105-000...	200 x 750 mm	zircon corundum (blue)	24/36/40/50/60/80/100/120	10
17101-250...	250 x 750 mm	zircon corundum (blue)	36/40/50/60/80/100/120	10
17101-000...	200 x 750 mm	aluminium oxide (red)	16/24/36/40/50/60/80/100/120	10
17149-250...	250 x 750 mm	aluminium oxide (red)	24/40/60/80/100/120	10

**Perfect sanding – great look!**

With the LOBASAND Belt you can prepare the floor ideally for the subsequent surface finishing. Whether you want to achieve a raw wood look with 2K InvisibleProtect or emphasize the grain and color with 2K ImpactOil – with LOBASAND you can bring out the natural beauty of wooden floors to the full.






### Klett | Velcro Disc

Velcro sanding discs for conventional disc sanding machines with pad holder diameters of 150 mm, 178 mm or 200 mm. With Velcro reverse for disc changes in seconds.

- Sold in complete package units only


Art.-no.	Dimensions	Material	Grain size	
17161-150...	ø 150 mm 15-hole	ceramic grain	40/60/80/100/120/180	50
17159-150...	ø 150 mm	ceramic grain	24/36/40/50/60/80/100/120	50
17160-178...	ø 178 mm	ceramic grain	24/36/40/50/60/80/100/120	50
17160-200...	ø 200 mm	ceramic grain	24/36/40/50/60/80/100/120/150/180	50
17142-150...	ø 150 mm 15-hole	aluminium oxide (red)	24/36/40/60/80/100/120	50
17110-150...	ø 150 mm center hole	aluminium oxide (red)	16/24/36/40/60/80/100/120	50
17110-178...	ø 178 mm center hole	aluminium oxide (red)	16/24/36/40/60/80/100/120	50
17115-200...	ø 200 mm	aluminium oxide (red)	40/60/80/100/120	50
17140-125...	ø 125 mm	zircon corundum (blue)	40/60/80/100/120	50
17173-150...	ø 150 mm 15-hole	zircon corundum (blue)	40/60/80/100/120/180	50
17112-150...	ø 150 mm	zircon corundum (blue)	24/36/40/60/80/100/120	50
17112-178...	ø 178 mm	zircon corundum (blue)	24/36/40/50/60/80/100/120	50
17112-200...	ø 200 mm	zircon corundum (blue)	60/80/100/120	50



### Klett | Velcro Stripe

Especially for the gentle intermediate sanding of thin coatings in combination with LOBASAND grid pad.

- Sold in complete package units only


Art.-no.	Dimensions	Material	Grain size	
17060-000240	81 x 133 mm	silicon carbide	240	100



### Dreieck | Triangle

Sanding triangle with Velcro reverse for all common Delta sanders. For corners and other hard-to-reach areas.

- Sold in complete package units only

Art.-no.	Dimensions	Material	Grain size	
17041-000...	ø 80 mm	aluminium oxide (red)	40/60/80/100	50



### Haftgewebe | Adhesive Disc

For the retrofitting of sanding discs on circular sanding machines.

Art.-no.	Dimensions	
17010-178000	ø 178 mm	50




### DoubleDisc

Double sanding discs for single-disc machines. (16 grain with fabric underlay).

- Sold in complete package units only

Art.-no.	Dimensions	Material	Grain size
17021-000...	ø 406 mm	silicon carbide	16/24/36/40/60/80/100/120



### Gitter | Net

Sanding mesh, ideal for fine and intermediate sanding with single-disc machines.

- Sold in complete package units only

Art.-no.	Dimensions	Material	Grain size	
17025-406...	ø 406 mm	silicon carbide	60/80/100/120/150/180	20



### LochPad | PerforatedPad & DustPad

PerforatedPad: Offers improved sanding performance and shortens time required for sanding. Reduces dust from the sanding process entering the atmosphere. Exceptionally long service life owing to continuous dust extraction.

DustPad: For use under PerforatedPad. Dust passes through the permeable material of the DustPad and is collected in the dust accumulator. The sanding disc will not clog up, thus guaranteeing an absolutely optimal sanding performance.

- Sold in complete package units only

Art.-no.	Description	Dimensions	Grain size	
17039-410000	DustPad	ø 410 mm	-	5
17037-410...	PerforatedPad	ø 410 mm	80/100/120/150/180	10



### ScrubberPad

Key component for the efficient renovation of resilient flooring. Where maintenance and dirt layers are particularly difficult to remove, we recommend use of the new LOBASAND ScrubberPad to prepare the surface for re-coating.

Art.-no.	Dimensions	
16552-406010	ø 406 mm	1





### Schleifvlies | GridPad

Special sanding pad for dry thorough cleaning and preparation for the re-finishing of various surfaces. Gentle interim sanding of oils or primers such as LOBADUR EasyPrime. Mattification of unevenly-dried oil surfaces.

- Sold in complete package units only


Art.-no.	Dimensions	
16560-000000	ø 406 mm	10



### NormalPad, SpecialPad, SuperPad

Pads for single-disc machines for various areas of application.  
 White (non-abrasive): e.g. for polishing waxes  
 Beige (mildly abrasive): e.g. for evening out oils and colors  
 Green (moderately abrasive): e.g. for thorough cleaning  
 Black (abrasive): e.g. for thorough cleaning of stubborn soiling

- Sold in complete package units only

Art.-no.	Description	Dimensions	
16550-124352	white	NormalPad / ø 406 x 10 mm	10
16550-406410	beige	SpecialPad / ø 406 x 10 mm	10
16550-406420	green	SpecialPad / ø 406 x 10 mm	10
16551-119452	green	SuperPad / ø 406 x 20 mm	5
16551-124662	white	SuperPad / ø 406 x 20 mm	5



### HandPadSet

For manual equalisation of excess material in hard-to-reach areas.  
 Beige (mildly abrasive): e.g. for evening out oils and colors

- Inclusive 25 Pads beige

Art.-no.	Dimensions	
16555-000000	85 x 135 x 10 mm	1




### Padhalteteller Stange & Pads | Padholder Bar & Pads

For manual equalisation in an ergonomic position of excess material in hard-to-reach areas.

Pad beige (mildly abrasive): e.g. for evening out oils and colors  
 Pad green (moderately abrasive): e.g. for thorough cleaning

Art.-no.	Description	Dimensions	
16553-000000	Padholder with extension pole	extendible 97-184 cm	1
16550-250210	beige	250 x 120x 10 mm	25
16550-250310	green	250 x 120x 10 mm	25



**LOBATOOL** 

## Tools and accessories – only the best for professionals!

Tested quality for first-class results. Since tools are effectively an “extended arm of the craftsman”, they are hugely important. You can expect the best from LOBA in this field, too: this is why we extensively test every applicator and every tool before it is added to the LOBATool product line. Our uncompromising quality standards provide the certainty of being able to work easily, safely and fast on the construction site in tough everyday situations. You can rely on LOBATool!



HOME




**LOBADUR** 

	Oil roller	Roller		
	Micro 60-80	Micro 100-120	Universal 100	Deluxe 120
	Item No.: 16236-1	Item No.: 16236	Item No.: 16233	Item No.: 16234
2K InvisibleProtect A.T.	-	-	-	✓
2K Duo	-	✓	-	✓
2K FactoryStyle	-	✓	-	-
2K Fusion	-	✓	-	✓
2K Intensive A.T.	✓	-	-	-
2K Supra A.T.	-	✓	-	✓
2K UltraElastic	-	✓	-	✓
2K UltraSport	-	✓	-	✓
EasyFinish	-	✓	-	✓
EasyPrime	-	✓	✓	-
FactoryBase	-	✓	-	-
Life	-	✓	-	✓
VivaPrime	-	✓	✓	-
PrimaSeal Plus	-	-	✓	-
ProColor	✓*	-	-	-
Rush A.T.	-	-	✓	-
Sealer FR	-	✓	-	✓
Viva	-	✓	-	✓

**LOBASOL** 

2K ImpactOil transparent	✓	-	-	-
Akzent 100 Oil	✓	-	-	-
HardwaxOil EcoPlus	✓	-	-	-
Markant	✓	-	-	-
MarkantNature	✓	-	-	-

✓ = Without limitation applicable  
 - = Use is not recommended  
 \* = Please refer to the Technical Information



### Roller `Deluxe 120`

For all LOBADUR water-based finishes and Sealer FR. Ensures the recommended quantity (approx. 120 g/m<sup>2</sup>). No roller frame included.


Art.-no.	Description	
16234-000000	25 cm roller	12



### Roller `Microfibre 100-120`

For all LOBADUR water-based finishes as well as the primers EasyPrime and VivaPrime and Sealer FR. Application quantity between 100-120 g/m<sup>2</sup>. No roller frame included.

Art.-no.	Description	
16236-000000	25 cm roller	12



### Roller `Universal 100`

For LOBACURE Rush A.T. as well as LOBADUR primers PrimaSeal Plus. Application quantity approx. 100 g/m<sup>2</sup>. No roller frame included.

Art.-no.	Description	
16233-000025	25 cm roller	12



### Small roller for edges

Roller for edges and other hard-to-reach areas.

Art.-no.	Description	
16237-000000	10 cm roller	10



## Oil Roller `Microfibre 60-80´


For the roller application of oils (LOBASOL oils and 2K Intensive A.T).  
Applied quantity: 40-60 g/m<sup>2</sup>. No roller frame included.

Art.-no.	Description	
16236-100000	25 cm roller	12



## Roller frame, roller extension

Roller frame: for finish rollers.  
Telescopic bar: roller extension. Can be extended up to 2.5 metres.

Art.-no.	Description	
16238-000000	Telescopic bar expandable 117-200 cm	10
16232-000000	Roller frame for 25 cm roller	20
16232-100000	Roller frame for 10 cm edge roller	20



## Rollerbox 25 cm

Clean storage of rollers.

Art.-no.	Dimensions	
16340-000000	25 cm	50



## Wiping cloth

Ideally suited to wipe up excess material after oil application. Highly absorbent cloth with long lifetime. The product can also be used for cleaning tools and machines.  
Material: 30% cotton, 25% viscose, 20% polypropylene, 15% polyester and 10% other fibres

- Sold in complete package units only

Art.-no.	Dimensions	
16421-100000	50 x 60 cm	10





## Trowel

Applicator for filler products, oils, waxes, coloring systems and primers.

Art.-no.	Description	Dimensions	
16083-0000...	stainless steel	27 cm/35 cm	6



## Oilbrush

Applicator for certain LOBADUR, LOBASOL and LOBACARE products for outdoor areas.

Art.-no.	Dimensions	
16081-000021	21 cm	1



## Brush with long handle


Brushes for corners, edges and other hard-to-reach areas.

Art.-no.	Dimensions	
16239-000000	60 mm	12



## Coating bucket, inlay liner

Bucket with lid and measuring scale. PE liners for the coating bucket.

Art.-no.	Description	
16099-000000	Bucket filling quantity 18 l	1
16218-000000	Inlay liner	25



## Dosing pump

Dosing pump for 10 L containers. The dosing cap extracts approx. 30 ml per push.

Art.-no.	Description	
16225-000000	Depth of immersion: approx. 28,5 cm - wreath: ø 4,5 cm	25



## Mixing container

Measuring cup with scale for the measurement of partial quantities of LOBADUR 2K water-based finish or LOBADUR 2K Intensive.

Art.-no.	Description	
16080-...	For 2K sealers filling quantity 1 l or 2K Intensive A.T. filling quantity 1 l	1



## Paintmixer

For the fast and mechanical stirring of colors or the mixing-in of hardening components.

Art.-no.	Dimensions	
16254-000000	ø 60, length 350 mm	10



## Wischwiesel

Applicator with pad for water-based LOBACARE maintenance products. The LOBATOOL applicator pad is a high-quality applicator head for the LOBATOOL Wischwiesel.

Art.-no.	Description	Dimensions	
16247-000000	Applicator	140 cm	20
16249-000000	Applicator pad	44 cm	100



## Spray can

Simple application of cleaning and maintenance products.

Art.-no.	Description	
16310-000000	filling quantity 1 l	1



## TrimPad applicator

Applicator for 2K Contact and WPC Refresh.

Art.-no.	Description	Dimensions	
16274-000010	Spare TrimPad	25 cm	12
16275-000000	Telescopic bar TrimPad	-	10
16273-000010	TrimPad Applicator	25 cm	12

## Miscellaneous



## ElastoParkett

Acrylic-based, silicone-free joint filler.

- High filling capacity
- Facilitates fast and efficient working
- High elasticity
- Can be sanded and finished over
- Can be used on oiled as well as finished parquet and cork floors



Art.-no.	Variant		
16226-...	Various colors	310 ml	12



Color samples are not binding



## RepairSet

Set with different colors. The solution for all smaller repairs of parquet, multi-layer parquet, laminate and cork flooring. Colors are mixable. Includes wedge scraper, hot knife and abrasive fabric.

Art.-no.	Variant	
16351-000000	Various colors	1



## Cork stripes

For installation between doorways or in edge areas.

- Sold in complete package units only

Art.-no.	Description	Dimensions	
16043-190010	mocca	900 x 10 x 10 mm/900 x 10 x 14 mm/900 x 10 x 22 mm	80/60/36
16042-190010	nature	900 x 10 x 10 mm/900 x 10 x 14 mm/900 x 10 x 22 mm	80/60/36



## Shoegaloshes

Made of fabric. 10 pairs in a clap pack. Absorbent and anti-slip. To be put on during final inspections, site inspections, oiling parquet flooring, cleaning flooring, etc.

Art.-no.	
16422-001196	10



## Cover 400 g

Protection covers with vapor diffusion capability made of recycled textiles (50%) and recycled paper (50%). Protection covers for newly finished or oiled wooden floors.

- Breathe-active
- Finishes and oils can cure virtually unhindered

Art.-no.	Description	Dimensions	
16280-000000	B: 100 cm, L 50 m	W 100cm, L 50m	1



### Thermohygrometer

For measuring ambient temperature and relative humidity.

Art.-no.

16230-200000



1



### Canister Opener

Convenient tool for opening LOBADUR, LOBASOL and LOBACARE canisters.  
Especially helpful for opened canisters

- Highly stable due to ABS plastic
- Ergonomic shape, rounded edges
- Increased leverage effect due to long handle
- No slipping off the lid due to exact fit
- Hole at the end of the handle for hanging up or attaching to work clothes

Art.-no.

16219-000000




























1

# Legend

## ADVANCED TECHNOLOGY

Advanced Technology (A.T.) represents the latest generation of LOBA products with revolutionary technologies, innovative raw materials and/or improved application. These products have outstanding properties that are unique in the industry. A.T. products are low-emission (VOC < 80g/L) and meet all current employment and consumer protection requirements.

	EMICODE® EC1R Plus: particularly low emission		Suitable for children's toys according to DIN EN 71-3		Connected Systems: System warranty for LOBA finishes and oils for Wakol adhesives and levelling compounds		Anti-slip as per DIN 51097 evaluation group A
	EMICODE® EC1: very low emission		Emission class M1 for building materials		Emission tested building materials acc. French VOC regulation		Anti-slip as per DIN 51097 evaluation group B
	EMICODE® EC2R: emissionsarm		Emissions-tested building product in accordance with DIBT guidelines		Stress zone		Anti-slip as per DIN 51130 evaluation group R9
	EMICODE® EC2: low emission		LOBASOL 100% Nature solvent free and 100% solid content		100% Environmentally friendly low VOC paint		Anti-slip as per DIN 51130 evaluation group R10
	Roller		Apply coat		Drying time		Hardwood floors and parquet
	Trowel		Basic cleaning		Consumption in liter		Cork
	Brush		Damp cleaning		Consumption in grams		Linoleum
			Cloth		Contents		PVC
			TrimPad		Packing		Stone
					Pallet		Laminate
							Cement-based surfaces

# Giscode-Legend

<b>W1</b>	Water-based surface-treatment, solvent-free
<b>W2+</b>	Water-based surface-treatment, solvent-content <5%, free from N-methylpyrrolidone
<b>W2/DD+</b>	Water-based surface treatment agents, hardener containing socyanate, solvent content up to 5%, N-methylpyrrolidone-free
<b>W3+</b>	Water-based surface treatment agents, solvent content up to 15%, N-methylpyrrolidone-free
<b>W3/DD+</b>	Water-based surface treatment agents, hardener containing socyanate, solvent content up to 5%, N-methylpyrrolidone-free
<b>Ö10+</b>	Oils/waxes, solvent-free, free from butanone oxime
<b>Ö10/DD+</b>	Oils/waxes, solvent-free, oxime-free, with isocyanate-containing hardener
<b>Ö20+</b>	Oils/waxes, low-solvent, dearomatized, oxime-free
<b>Ö40+</b>	Oils/waxes, solvent-containing, dearomatized, oxime-free
<b>Ö40/DD+</b>	Oils/waxes, solvent-containing, dearomatized, oxime-free, with isocyanate-containing hardener
<b>Ö60</b>	Oils/waxes, high in solvents, aromatics removed
<b>GE10</b>	Dispersions/coating products
<b>GE20</b>	Emulsions/dispersions, solvent-containing (5-15%)
<b>GG0</b>	Base cleaner, other
<b>GG10</b>	Base cleaner, solvent-free, no hazard labelling
<b>GG60</b>	Base cleaner, irritant, containing solvents with skinresorptive substances
<b>GG80</b>	Remover, corrosive, based on solvents
<b>GU40</b>	Maintainer, without solvents
<b>GU50</b>	Maintainer, containing solvents with no skin-absorption hazard
<b>GU70</b>	Maintenance cleaner, solvent-free, irritant
<b>GU73</b>	Maintenance cleaner, solvent free, irritant, including serious eye damage
<b>GU83</b>	Maintenance cleaner, based on solvent, irritant, including serious eye damage
<b>G1</b>	Base sealants and plastic woods, high in solvents, aromatics removed and free of lowboiling compounds
<b>G2</b>	Base sealants and plastic woods, aromatics removed containing low-boiling compounds





LOBA GmbH & Co. KG | Headquarters  
Leonberger Str. 56-62  
71254 Ditzingen | Germany  
Phone: +49 7156 357-0  
Fax: +49 7156 357-211  
Email: [service@loba.de](mailto:service@loba.de)  
[www.loba.de/en](http://www.loba.de/en)

→ This catalog was printed on paper from sustainable forestry with inks based on organic oil.

