Revision: 31.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.04.2023

Version number 23 (replaces version 22)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name FloorCare
- · Article number: 10490-000
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Self glazing emulsion
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen

Tel.: +49 (0)7156/357-0

- · Informing department: service@loba.de
- · 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.

· Dangerous components:		
	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	5-8.5%
	•	(Comtd. on maco 2)

(Contd. on page 2)

Revision: 31.03.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.04.2023

Version number 23 (replaces version 22)

Product name FloorCare

		(Contd. of page 1)
CAS: 38714-47-5	tetraamminezinc(2+) carbonate	2.5-5%
EINECS: 254-099-2	💠 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT	
Reg.nr.: 01-2120760626-49	SE 3, H335	
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-	<i>≥</i> 0.00025-<0.0008%
EC number: 911-418-6	isothiazolin-3-one [EC no. 247-500-7] and 2-	
Index number: 613-167-00-5	methyl-2H-isothiazol-3-one [EC no. 220-239-6]	
Reg.nr.: 01-2120764691-48	(3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310;	
	Åcute Tox. 2, H330; ♦ Skin Corr. 1C, H314; Eye	
	Dam. 1, H318; 🚯 Aquatic Acute 1, H400	
	(M=100); Aquatic Chronic 1, H410 $(M=100)$;	
	Skin Sens. 1A, H317	
	Specific concentration limits:	
	Skin Corr. 1C;H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: $0.06 \% \le C < 0.6 \%$	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \%$	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

GB

Printing date 13.04.2023 Version number 23 (replaces version 22)

Product name FloorCare

(Contd. of page 2)

Revision: 31.03.2023

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm Sk

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: Level ≤ 6

· Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

• Colour: According to product specification • Smell: Recognisable

Odour threshold: Not determined.

(Contd. on page 4)

Version number 23 (replaces version 22) Printing date 13.04.2023

Product name FloorCare

Revision: 31.03.2023

	(Contd. of pag
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling	
range	100 °C
Flammability	Not applicable.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	8.6
Viscosity:	
Kinematic viscosity	Not determined.
Kinematic viscosity	
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure:	Not determined.
Vapour pressure:	
Density and/or relative density	
Density at 20 °C	1.02 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
	I TOUUCI IS NOT SELLIGIUMS.
Explosive properties:	
	Product is not explosive.
Change in condition	
Change in condition Evaporation rate	Product is not explosive. Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classe	Product is not explosive. Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives	Product is not explosive. Not determined. s Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases	Product is not explosive. Not determined. S Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols	Product is not explosive. Not determined. S Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases	Product is not explosive. Not determined. S Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Product is not explosive. Not determined. S Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Product is not explosive. Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Product is not explosive. Not determined. Void Void Void Void Void Void Void Voi
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Product is not explosive. Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Product is not explosive. Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Product is not explosive. Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Product is not explosive. Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures	Product is not explosive. Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures	Product is not explosive. Not determined. S Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures Substances and mixtures Oxidising liquids	Product is not explosive. Not determined. S Void Void Void Void Void Void Void Voi
Explosive properties: Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures Gustances and mixtures Oxidising liquids Oxidising solids Oxidising solids	Product is not explosive. Not determined. S Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures Substances and mixtures Substances and mixtures Oxidising liquids	Product is not explosive. Not determined. S Void Void Void Void Void Void Void Voi

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

Printing date 13.04.2023

Version number 23 (replaces version 22)

Product name FloorCare

(Contd. of page 4)

Revision: 31.03.2023

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values that a	are relevant for classification:
34590-94-	8 Dipropyle	ne glycol monomethyl ether
Oral	LD50	5,135 mg/kg (rat)
Dermal	LD50	9,500 mg/kg (rat)
55965-84-		nass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-
	2H-isothia	nzol-3-one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (rat)
Dermal	LD50	660 mg/kg (rat)
Inhalative	LC50/4 h	0.33 mg/l (rat)
	LC50/96 h	0.188 mg/L (fish)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/48 h | 0.1 mg/L (daphnia) EC50/72 h | 0.027 mg/L (Algae) NOEC | 0.0012 mg/L (Algae) | 0.004 mg/L (daphnia) | 0.098 mg/L (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6)

Printing date 13.04.2023 Version number 23 (replaces version 22)

Product name FloorCare

(Contd. of page 5)

Revision: 31.03.2023

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 13.04.2023

Version number 23 (replaces version 22)

Product name FloorCare

(Contd. of page 6)

Revision: 31.03.2023

Alteration in the context will be marked with a cross (*).

· Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet: Product safety

· Contact: Max Voss

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* * Data compared to the previous version altered.

GB