Revision: 21.12.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022

Version number 35 (replaces version 34)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name Markant halbmatt semi-gloss / Markant Color
- · Article number: 10508-000000-000
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Coating material
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen

Tel.: +49 (0)7156/357-0

- · Informing department: service@loba.de
- · 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Precautionary statements

P273 Avoid release to the environment.

· Additional information:

EUH208 Contains Fatty acid C18 unsaturated, reaction product with N,N-Dimethyl-1,3-propanediamine, phthalic anhydride, cobalt bis-(2-ethylhexanoate). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.

| | · Dangerous components: | | |
|---|--|---|--------------------|
| | CAS: 64742-48-9 EC number: 918-481-9 Reg.nr.: 01-2119457273-39 | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304, EUH066 | 25-50% |
| | CAS: 64742-48-9 EC number: 919-857-5 Reg.nr.: 01-2119463258-33 | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatic Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336 | ≥10-<20% |
| | EC number: 934-956-3 Reg.nr.: 01-2119827000 | Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Asp. Tox. 1, H304 | 2.5-5% |
| | EC number: 920-107-4 Reg.nr.: 01-2119453414-43 | Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304 | <2.5% |
| Ī | | • | (Contd. on page 2) |

Revision: 21.12.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022

Version number 35 (replaces version 34)

Product name Markant halbmatt semi-gloss / Markant Color

| | | (Contd. of page 1) | | |
|--|--|--------------------|--|--|
| EC number: 934-954-2 | Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < | <2.5% | | |
| Reg.nr.: 01-2119826592-36 | 0.03% aromatics | | | |
| | ♦ Asp. Tox. 1, H304 | | | |
| CAS: 162627-17-0 | Fatty acid C18 unsaturated, reaction product with N,N- | ≥0.1-<1% | | |
| EC number: 605-296-0 | Dimethyl-1,3-propanediamine | | | |
| Reg.nr.: 01-2119970640-38 | ♦ Skin Sens. 1, H317 | | | |
| CAS: 85-44-9 | phthalic anhydride | ≥0.1-<0.5% | | |
| EINECS: 201-607-5 | & Resp. Sens. 1, H334; 🎨 Eye Dam. 1, H318; 🕦 Acute Tox. | | | |
| Index number: 607-009-00-4 | 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, | | | |
| Reg.nr.: 01-2119457017-41 | H335 | | | |
| CAS: 136-52-7 | cobalt bis-(2-ethylhexanoate) | ≥0.1-<0.25% | | |
| EINECS: 205-250-6 | & Repr. 1A, H360F; 🍄 Aquatic Acute 1, H400; 🕚 Eye Irrit. | | | |
| Reg.nr.: 01-2119524678-29 | 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412 | | | |
| · Additional information For the wording of the listed hazard phrases refer to section 16. | | | | |

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022

Version number 35 (replaces version 34)

Product name Markant halbmatt semi-gloss / Markant Color

(Contd. of page 2)

Revision: 21.12.2022

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Protect from heat.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

136-52-7 cobalt bis-(2-ethylhexanoate)

WEL Long-term value: 0.1 mg/m³

as Co; Carc, Sen

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.04 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: Level ≤ 6

· Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Smell:
Fluid
Brown
Recognisable

Odour threshold: Not determined.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022 Version number 35 (replaces version 34)

Product name Markant halbmatt semi-gloss / Markant Color

(Contd. of page 3)

Revision: 21.12.2022

Melting point/freezing point: Not determined · Boiling point or initial boiling point and boiling range Not determined · Flammability *Not applicable.* · Lower: Not determined. · Upper: Not determined. 65 °C · Flash point: · Decomposition temperature: Not determined. Not determined. $\cdot pH$ · Viscosity: · Kinematic viscosity Not determined. · dynamic at 20 °C: 264 mPas Solubility · Water: Not miscible or difficult to mix Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Steam pressure: Density and/or relative density Density at 20 °C $0.909 \, g/cm^3$ · Relative density Not determined. Not determined. · Vapour density 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. · Change in condition Not determined. · Evaporation rate Information with regard to physical hazard classes Void · Explosives · Flammable gases Void Void · Aerosols Void · Oxidising gases Void · Gases under pressure · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022

Version number 35 (replaces version 34)

Product name Markant halbmatt semi-gloss / Markant Color

(Contd. of page 4)

Revision: 21.12.2022

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- · LD/LC50 values that are relevant for classification:

136-52-7 cobalt bis-(2-ethylhexanoate)

 Oral
 LD50
 3,129 mg/kg (rat)

 Dermal
 LD50
 >2,000 mg/kg (rat)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 6)

Revision: 21.12.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022

Version number 35 (replaces version 34)

Product name Markant halbmatt semi-gloss / Markant Color

| | (Contd. of pag |
|---|-----------------|
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according | to IMO |
| instruments | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H360F May damage fertility.
- H400 Very toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing data specification sheet: Product safety
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.12.2022

Version number 35 (replaces version 34)

Product name Markant halbmatt semi-gloss / Markant Color

(Contd. of page 6)

Revision: 21.12.2022

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 1A: Reproductive toxicity – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

GB