
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024



• •

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

Product name ParkettWax

	(Contd. of page 1)
· Precautionary st	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331	Do NOT induce vomiting.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	ls

The product evidently does not contain any organically bonded halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of the substances listed below with harmless additions.

• Dangerous components:				
CAS: 64742-48-9	<i>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatic</i>	50-100%		
EC number: 919-857-5	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 STOT SE 3, H336			
Reg.nr.: 01-2119463258-33	· · · · · ·			
CAS: 8002-74-2	Paraffin waxes and Hydrocarbon waxes	5-8.5%		
EINECS: 232-315-6	substance with a Community workplace exposure limit			
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
aliphatic hydrocarbons		≥30%		

aliphatic hydrocarbons

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- In general, the product is not irritating to the skin. Wash off the product with plenty of soap and water after skin contact.
- · After eve contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Symptom Treat omatically.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents
- Water.
- Water with a full water jet.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

Product name ParkettWax

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies. Inform respective authorities in case product reaches water or sewage system.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

- Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Keep containers tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- Storage class 3
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Components with critical values that require monitoring at the workplace:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

- WEL Short-term value: 6 mg/m³
 - Long-term value: 2 mg/m^3

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

(Contd. on page 4)

(Contd. of page 2)

^{· 8.1} Control parameters

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

(Contd. of page 3)

Product name ParkettWax

Wash hands during breaks and at the end of the work.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

• Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Recommended thickness of the material: ≥ 0.4 mm
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: Level ≤ 6

· Eye/face protection Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	roperties
· General Information	
Physical state	Fluid
Colour:	Different according to colour
· Smell:	Recognisable
· Odour threshold:	Not determined.
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling	
range	Not determined
· Flammability	Flammable.
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	40 °C (DIN EN ISO 3679)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	8 mPas
Solubility	
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log value)	Not determined.
Steam pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	0.774 g/cm³ (Dichtekugel 10ml 20°C)
· Relative density	Not determined.
Vapour density	Not determined.
· Particle characteristics	not applicable, as liquid
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
	(Contd. on page 5

- G

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

Product name ParkettWax

	(Contd. of page 4	
Important information on protection of heal	th and	
environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air/steam mixtures is possible.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

Oral LD50 >5,000 mg/kg (rat)

· STOT-single exposure May cause drowsiness or dizziness.

· Aspiration hazard May be fatal if swallowed and enters airways.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

(Contd. of page 5)

Product name ParkettWax

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information

SECTION 14. Hunsport informati		
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1263	
\cdot 14.2 UN proper shipping name		
ADR	1263 PAINT	
· IMDG, IATA	PAINT	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	3 Flammable liquids.	
· Label	3	
· 14.4 Packing group		
· ADR, IMDĞ, IATA	III	
14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Flammable liquids.	
· Kemler Number:	30	
· EMS Number:	<i>F-E,<u>S-E</u></i>	
	(Contd.	. on page

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

Product name ParkettWax

	(Contd. of page
· Stowage Category	A
· 14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
• Transport category	3
• Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*). This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways.

(Contd. on page 8)

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2024

Version number 13 (replaces version 12)

Revision: 25.04.2024

Product name ParkettWax

	(Contd. of page 7)
H336 May cause drowsiness or dizziness.	
Classification according to Regulation (EC) No 1272/2008	
The classification of the mixture is generally based on the calculation is to Regulation (EC) No 1272/2008.	nethod using substance data according
Department issuing data specification sheet: Product safety	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses International Transport of Dangerous Goods by Rail)	par chemin de fer (Regulations Concerning the
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par	r route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 3: Flammable liquids – Category 3	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1	
* Data compared to the previous version altered.	