Printing date 18.08.2023

*

*

*

Version number 17 (replaces version 16)

Revision: 31.07.2023

| Product name <u>Weitzer Polish</u> Article number: 10490-012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Strafe 56 - 62 D-71234 Dittingen Tel.: +49 (0)7156/337. United Kingdom Phi House Southampton Science Park Southampton S | 1.1 Product identifier Product name Weitzer Polish Article number: 10490-012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pietograms Void Signal word Void Huzard statements |
|---|---|
| Product name <u>Weitzer Polish</u> Article number: 10490-012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Strafe 56 - 62 D-71234 Dittingen Tel.: +49 (0)7156/337. United Kingdom Phi House Southampton Science Park Southampton S | Product name <u>Weitzer Polish</u> Article number: 10490-012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 3.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 3.2 Label elements 4.2 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard statements Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Article number: 10490-012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: 10BA GmbH & Co. KG Leonberger Strafts 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357 United Kingdom: Phit House Southampton Science Park Southampton Science Park Southampton, SOI67NS United Kingdom Phone +442380766722 Informing department: service@Joba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Haard pictograms Void Signal word Void Haard structures Product is classified and labelled according to the GB CLP regulation. Haard pictograms Void Signal word Void Haard action if with long lasting effects. Product is classified and labelled according to the GB CLP regulation. Haard pictograms Void Signal word Void Haard action fifte with long lasting effects. Procurionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carfulty and follow all instructions. P213 Avoid release to the environment. P203 Noid release to the environment. P20408 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and J methyl-2H-isothiazol-3-one (EC no. 220-239-6) (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hacards SECTION 3: Composition/information on ingredients | Article number: 10490-012 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen United Kingdom: Phi House Southampton Science Park Southampton Science Park Southampton SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency coNTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 3.2 Label elements 4.a Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard statements Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance ' the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacture/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71234 Dittingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton Science Park Southampton, SOI67NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification SECTION 2: Hazards identification (EC) No 1272/2008 Aquatic Chronic 3 11412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Hazard pictograms Void Signal word Void Hazard pictograms Void Signal word Void Hazard statements P101 House is lassified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements P101 Effective is needed, have product container or label at hand. P102 Keep out of reach of children. P103 House is needed, have product container or label at hand. P103 House is the ervironment. P301 Dispose of contents/container in accordance with local/regional/national/international regulations. Advitional information: 2.3 Other hazards 2.4 Other hazards 2.5 Children is assigned and labeled accordance with local/regional/national/international regulations. Advitional information: 2.3 Other hazards 2.3 Other hazards 3.4 Other hazards 3.5 Children. 3.6 Composition/information on ingredients SECTION 3: Composition/information on ingredients | 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen United Kingdom: Phi House Southampton Science Park Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency contract (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance ' the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacture/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71234 Dittingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton Science Park Southampton, SOI67NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification SECTION 2: Hazards identification (EC) No 1272/2008 Aquatic Chronic 3 11412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Hazard pictograms Void Signal word Void Hazard pictograms Void Signal word Void Hazard statements P101 House is lassified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements P101 Effective is needed, have product container or label at hand. P102 Keep out of reach of children. P103 House is needed, have product container or label at hand. P103 House is the ervironment. P301 Dispose of contents/container in accordance with local/regional/national/international regulations. Advitional information: 2.3 Other hazards 2.4 Other hazards 2.5 Children is assigned and labeled accordance with local/regional/national/international regulations. Advitional information: 2.3 Other hazards 2.3 Other hazards 3.4 Other hazards 3.5 Children. 3.6 Composition/information on ingredients SECTION 3: Composition/information on ingredients | 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Self glazing emulsion 1.3 Details of the subplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency coNTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 3.2 Label elements Hazard pictograms Void Signal word Void Hazard Stements H412 Harmful to aquatic life with long lasting effects. |
| Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manafacture/Supplier: LOBA GmbH & Co. KG Leonberger Strafte 55 - 62 D-7125 / Dirited Kingdom: Phi House Southampton Science Park Southampton Southam South Southampton Science Par | Application of the substance / the mixture Self glazing emulsion 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency contACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard pictograms Void Signal word Void Hazard pictograms I fig with long lasting effects. |
| 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA (mbH & Co. KG Leonberger Straße 56 - 62 D-71254 Diringen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton Science Park Southampton, SO167NS United Kingdom Phone +44380766722 Informing department: service@Joba.de 1.4 Emergency telephone number: Emergency coNTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and Jollow all instructions. P273 Avoid release to the environment. P103 Isepo to contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 1 methyl-21-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and VPB assessment PBT: Not applicable. SECTION 3: Composition/Information on Ingredients | 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard pictograms Void Signal word Void Hazard pictograms H412 Harmful to aquatic life with long lasting effects. |
| Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Strafe 56 - 62 D-71254 Dittingen Tel.: +49 (0)7156/357- United Kingdom: Ph House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Huzards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 1H412 Harmful to aquatic life with long lasting effects. Hazard statements Hazard statements H412 Harmful to aquatic life with long lasting effects. Product can drive is needed, have product container or label at hand. P101 Jf medical advice is needed, have product container or label at hand. | Manufacturer/Supplier: LOBA GmbH & Co. KG Leonberger Straße 56 - 62 D-71254 Ditxingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification a th12 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| LOBJ GmbH & Co, KG Leonberger Straße 56 - 62 D-71254 Ditringen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton Science Park Section according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Haard pictograms Void Haard pictole advice is needed, have product container or label at hand. P101 Jf medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P303 Avoid release to the environment. P303 Lovid release to the environment. P303 Lovid release to the environment. P304 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothaizolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothasci-3 | LOBÅ GmbH & Čo. KG Leonberger Straße 56 - 62 D-71254 Ditzingen United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number : Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements H412 Harmful to aquatic life with long lasting effects. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. | Leonberger Straße 56 - 62 D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton Science Park of Science Park Southampton Science Park of Science Park Southampton Science | D-71254 Ditzingen Tel.: +49 (0)7156/357- United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| United Kingdom: Phi House Southampton Science Park Southampton, SOI67NS United Kingdom Phone +42380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P233 Avoid release to the environment. P301 Dispose of contents/container in accordance with local/regional/national/international regulations. 4dditional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and VPB assessment PBT: Not applicable. *PDB: Not applicable. | United Kingdom: Phi House Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H12 Harnful to aquatic life with long lasting effects. 2.1 Classification geografies and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements P101 If medical advice is needed, have product container or label at hand. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P101 If medical advice is needed, have product container or label at hand. P102 Reap of of release to the environment. P203 Avoid release to the environment. P204 Hispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards FBT: Not applicable. SECTION 3: Composition/information on ingredients | Southampton Science Park Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Southampton, SO167NS United Kingdom Phone +142380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Procuntionary statements P101 If medical advice is needed, have product container or label at hand. P103 Rev d carefully and follow all instructions. P203 Avoid release to the environment. P103 Rev carefully and follow all instructions. P203 Avoid release to the environment. EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Eesults of PBT and PPB assessment PBT: Not applicable. SECTION 3: Composition/information on ingredients | Southampton, SO167NS United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard Statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements H412 Harmful to aquatic life with long lasting effects. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P233 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards SECTION 3: Composition/information on ingredients | United Kingdom Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Phone +443380766722 Informing department: service@loba.de I.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labeling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H1412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. PBT: Not applicable. SECTION 3: Composition/information on ingredients | Phone +442380766722 Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labeling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements H121 Harmful to aquatic life with long lasting effects. Precautionary statements H121 Harmful to aquatic life with long lasting effects. Precautionary statements H122 Keep out of reach of children. P103 Read carefully and follow all instructions. P233 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other harards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients | Informing department: service@loba.de 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 11412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P103 Read carefully and follow all instructions. P233 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPyB assessment PBT: Not applicable. SECTION 3: Composition/Information on ingredients | 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Reead carefully and follow all instructions. P273 Avoid release to the environment. P301 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. SECTION 3: Composition/information on ingredients | Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P2501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and NPyB assessment PBT: Not applicable. PVB: Not applicable. | SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms Void • Signal word Void • Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. vPvB: Not applicable. | Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms Void • Signal word Void • Hazard statements H412 Harmful to aquatic life with long lasting effects. • Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. • vPvB: Not applicable. | The product is classified and labelled according to the GB CLP regulation. • Hazard pictograms Void • Signal word Void • Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients | Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients | • Signal word Void • Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients | • Hazard statements H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. | |
| P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. | · Precautionary statements |
| P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. SECTION 3: Composition/information on ingredients | |
| P103 Read carefully and follow all instructions. P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. | |
| P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. | |
| Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. | |
| EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2 methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients | |
| methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), tetraamminezinc(2+) carbonate. Ma produce an allergic reaction. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. SECTION 3: Composition/information on ingredients | |
| produce an allergic reaction. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. SECTION 3: Composition/information on ingredients | |
| Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients | |
| • PBT : Not applicable. • vPvB : Not applicable. SECTION 3: Composition/information on ingredients | 2.3 Other hazards |
| • vPvB: Not applicable. SECTION 3: Composition/information on ingredients | |
| SECTION 3: Composition/information on ingredients | |
| | |
| | |
| 2.2 Minutures | SECTION 3: Composition/information on ingredients |
| | · 3.2 Mixtures |

(Contd. on page 2)

GB

Printing date 18.08.2023

Version number 17 (replaces version 16)

Revision: 31.07.2023

Product name Weitzer Polish

| EINECS: 254-099-2 Reg.nr.: 01-2120760626-49 CAS: 55965-84-9 EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48 Q, H32 | mminezinc(2+) carbonate quatic Acute 1, H400; Aquatic Chronic 1, H410; in Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, ion mass of: 5-chloro-2-methyl-4-isothiazolin-3- EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- | ≥0.25-<1% ≥0.00025-<0.0015% |
|--|---|--------------------------------|
| Reg.nr.: 01-2120760626-49 | in Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, ion mass of: 5-chloro-2-methyl-4-isothiazolin-3- | ≥0.00025-<0.0015% |
| EC number: 911-418-6 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48 2, H3 | | ≥0.00025-<0.0015% |
| I, H4 Specij Ski Ski Eyo Eyo | EC no. 220-239-6] (3:1) Ec no. 2, H314: C $\ge 0.6 \%$ Ec no. 2, H319: 0.06 $\% \le C < 0.6 \%$ En Sens. 1A; H317: C $\ge 0.0015 \%$ | |

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation Supply fresh air; consult doctor in case of symptoms.

• *After skin contact The product is not skin irritating.*

· After eye contact Rinse opened eye for several minutes under running water.

· After swallowing In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system. Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 3)

Printing date 18.08.2023

Version number 17 (replaces version 16)

Revision: 31.07.2023

Product name Weitzer Polish

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands during breaks and at the end of the work.
- Breathing equipment: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Recommended thickness of the material: ≥ 0.4 mm
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

Value for the permeation: Level ≤ 6

· Eye/face protection Safety glasses recommended during refilling.

| 9.1 Information on basic physical and cl | hemical properties | |
|--|--------------------|--|
| General Information | | |
| · Physical state | Fluid | |
| · Colour: | White | |
| · Smell: | Recognisable | |
| · Odour threshold: | Not determined. | |
| • Melting point/freezing point: | Not determined | |
| · Boiling point or initial boiling point and | boiling | |
| range | 100 °C | |

Printing date 18.08.2023

Version number 17 (replaces version 16)

Revision: 31.07.2023

Product name Weitzer Polish

| | (Contd. of | page |
|---|------------------------------|------|
| Flammability | Not applicable. | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | Not applicable | |
| Decomposition temperature: | Not determined. | |
| pH at 20 °C | 8.5 | |
| Viscosity: | | |
| Kinematic viscosity | Not determined. | |
| dynamic: | Not determined. | |
| Solubility | | |
| Water: | Fully miscible | |
| Partition coefficient n-octanol/water (log value) | Not determined. | |
| Steam pressure: | Not determined. | |
| Density and/or relative density | 1101 actor milica. | |
| Density and of relative density Density at 20 °C | 1.024 g/cm ³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| · · | Not determined. | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Fluid | |
| Important information on protection of health an | d | |
| environment, and on safety. | 5 1 | |
| Self-inflammability: | Product is not selfigniting. | |
| Explosive properties: | Product is not explosive. | |
| Solids content: | 15.7 % | |
| Change in condition | | |
| Evaporation rate | Not determined. | |
| Information with regard to physical hazard classe | 25 | |
| Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| | Void | |
| Substances and mixtures, which emit flammable | Void | |
| gases in contact with water | Void Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB -

Version number 17 (replaces version 16)

Revision: 31.07.2023

Product name Weitzer Polish

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. of page 4)

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

| 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl- |
|--|
| 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) |

| Oral | LD50 | 457 mg/kg (rat) |
|------------|-----------|-------------------|
| | LD50 | 660 mg/kg (rat) |
| Inhalative | | 0.33 mg/l (rat) |
| | LC50/96 h | 0.188 mg/L (fish) |

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

 \cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

| • Aquatic tox | cicity: |
|---------------------|---|
| 55965-84-9 | Preaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl- 2H-isothiazol-3-one [EC no. 220-239-6] (3:1) |
| EC50/48 h | 0.1 mg/L (daphnia) |
| EC50/72 h | 0.027 mg/L (Algae) |
| NOEC | 0.0012 mg/L (Algae) |
| | 0.004 mg/L (daphnia) |
| | 0.098 mg/L (fish) |
| · 12.3 Bioac | tence and degradability No further relevant information available. cumulative potential No further relevant information available. |
| | ity in soil No further relevant information available. |
| | ts of PBT and vPvB assessment |
| • PBT: Not a | |
| • vPvB: Not | |
| | rine disrupting properties |
| | t does not contain substances with endocrine disrupting properties. |
| • 12.7 Other | adverse effects |
| • Additional | ecological information: |
| · General no | tes: |
| | |

Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 6)

GB -

Printing date 18.08.2023

Version number 17 (replaces version 16)

Revision: 31.07.2023

(Contd. of page 5)

Product name Weitzer Polish

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated under adherence to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

| SECTION 14: Transport information | lon | |
|---|------------------------------------|--|
| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk according instruments | g to IMO Not applicable. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Alteration in the context will be marked with a cross (*).

(Contd. on page 7)

GB

Printing date 18.08.2023

Version number 17 (replaces version 16)

Revision: 31.07.2023

Product name Weitzer Polish

(Contd. of page 6) This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing data specification sheet: Product safety

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.